


04-RPJ

Range of Application




Περιεχόμενα

3-D MODEL	2
TECHNICAL DETAILS	ERROR! BOOKMARK NOT DEFINED.
THROUGH CAR	6
<i>Plan View</i>	<i>Error! Bookmark not defined.</i>
THROUGH CAR	ERROR! BOOKMARK NOT DEFINED.
<i>Elevation</i>	<i>Error! Bookmark not defined.</i>
THROUGH CAR	ERROR! BOOKMARK NOT DEFINED.
<i>Section View</i>	<i>Error! Bookmark not defined.</i>
CERTIFICATION	ERROR! BOOKMARK NOT DEFINED.
MANUFACTURER 'S DECLARATION	11
CERTIFICATE	ERROR! BOOKMARK NOT DEFINED.

Τρισδιάστατο Μοντέλο

3D - MODEL




1.	SHAFT
2.	GUIDE RAILS
3.	PLATFORM PANEL
4.	PISTON
5.	CHAIN PULLEY
6.	PLATFORM BASE ANCHOR
7.	CAR FRAME
8.	PLATFORM CHEQUERED PLATE
9.	PLATFORM COVER
10.	PHOTOCELL COLUMN
11.	SHAFT DOOR- SHUTERGATE

Technical Details

RATED LOAD - 2000 (Kg)				
<i>TRAVEL (T) (mm)</i>	3000	6000	9000	12000
<i>PIT DEPTH (mm)</i>	260	>>	>>	>>
<i>HEADROOM (HD) (mm)</i>	2400	>>	>>	>>
<i>PLATFORM WIDTH (PW) (mm)</i>	2100-2500	>>	>>	>>
<i>SHAFT WIDTH (SW) (mm)</i>	2550-2950	>>	>>	>>
<i>PLATFORM DEPTH (PD) (mm)</i>	5000-5500	>>	>>	>>
<i>SHAFT DEPTH (SD) (mm)</i>	5050-5550	>>	>>	>>
<i>PISTON</i>	Φ 100x5	Φ 100x5	Φ 100x5	Φ 100x7
<i>Max Pressure (bar)</i>	52	52	53	54
<i>SUSPENSION CHAIN</i>	1 1/4 "	1 1/4 "	1 1/4 "	1 1/4 "
<i>SPEED (m/sec)</i>	0,1	0,12	0,13	0,15
<i>PUMP (lt/min)</i>	45	55	70	70
<i>MOTOR (Kw)</i>	4,8	5,8	7,7	7,7
RATED LOAD - 2500 (Kg)				
<i>TRAVEL (T) (mm)</i>	3000	6000	9000	12000
<i>PIT DEPTH (mm)</i>	260	>>	>>	>>
<i>HEADROOM (HD) (mm)</i>	2400	>>	>>	>>
<i>PLATFORM WIDTH (PW) (mm)</i>	2100-2500	>>	>>	>>
<i>SHAFT WIDTH (SW) (mm)</i>	2550-2950	>>	>>	>>
<i>PLATFORM DEPTH (PD) (mm)</i>	5000-5500	>>	>>	>>
<i>SHAFT DEPTH (SD) (mm)</i>	5050-5550	>>	>>	>>
<i>PISTON</i>	Φ 100x5	Φ 100x5	Φ 100x5	Φ 100x12
<i>Max Pressure (bar)</i>	58	58	59	59
<i>SUSPENSION CHAIN</i>	1 1/4 "	1 1/4 "	1 1/4 "	1 1/4 "
<i>SPEED (m/sec)</i>	0,1	0,12	0,13	0,15
<i>PUMP (lt/min)</i>	50	55	70	70
<i>MOTOR (Kw)</i>	5,9	7,7	9,6	9,6

Through car


Plan View



RATED LOAD (kg)	PLATFORM WIDTH PW (mm)	PLATFORM DEPTH PD (mm)	SHAFT WIDTH SW (mm)	SHAFT DEPTH SD (mm)
2000	2100	5000	2550	5050
2500	2500	5500	2950	5550

Arrangement: Upper Stop
Through car


Elevation



Arrangement: Upper Stop


Through car

Section View



Arrangement: Down Stop
Through car

Section View



HDR	HEADROOM	2400 mm(min)
UOT	UPPER OVERTRAVEL	50 mm(min)
T	TRAVEL	12000 mm(max)
PD	PIT DEPTH	260 mm(min)
DOT	DOWN OVERTRAVEL	25 mm(min)